

RN 20-01

Au-AA23

Au

ppm

BHID	From	To	Width	Au ppm
RN-20-01	25.0	26.0	1.0	0.057
RN-20-01	31.0	31.7	0.7	0.315
RN-20-01	61.0	62.0	1.0	0.024
RN-20-01	62.0	63.0	1.0	0.063
RN-20-01	63.0	64.0	1.0	0.04
RN-20-01	64.0	65.0	1.0	0.059
RN-20-01	65.0	66.0	1.0	0.179
RN-20-01	66.0	67.0	1.0	0.006
RN-20-01	67.0	68.0	1.0	0.016
RN-20-01	68.0	69.0	1.0	0.021
RN-20-01	80.0	81.0	1.0	0.594
RN-20-01	105.0	106.0	1.0	0.025
RN-20-01	106.0	107.0	1.0	0.135
RN-20-01	107.0	108.0	1.0	0.031
RN-20-01	108.0	109.0	1.0	0.049
RN-20-01	109.0	110.0	1.0	0.105
RN-20-01	110.0	111.0	1.0	0.167
RN-20-01	111.0	112.0	1.0	0.149
RN-20-01	112.0	113.0	1.0	2.26
RN-20-01	113.0	114.0	1.0	1.035
RN-20-01	114.0	115.0	1.0	0.024
RN-20-01	115.0	116.0	1.0	0.044
RN-20-01	116.0	117.0	1.0	0.259
RN-20-01	117.0	118.0	1.0	0.041
RN-20-01	126.1	127.0	0.9	1.06
RN-20-01	127.0	128.0	1.0	0.213
RN-20-01	128.0	129.0	1.0	0.099
RN-20-01	129.0	130.0	1.0	1.68
RN-20-01	130.0	131.0	1.0	0.635
RN-20-01	131.0	132.0	1.0	3.15
RN-20-01	132.0	133.0	1.0	0.374
RN-20-01	133.0	134.0	1.0	0.211
RN-20-01	134.0	135.0	1.0	0.107
RN-20-01	140.0	141.0	1.0	0.011
RN-20-01	141.0	142.0	1.0	0.005
RN-20-01	142.0	143.0	1.0	0.129
RN-20-01	143.0	144.0	1.0	0.103
RN-20-01	144.0	145.0	1.0	0.008
RN-20-01	145.0	146.0	1.0	0.018
RN-20-01	146.0	147.0	1.0	0.073
RN-20-01	147.0	148.0	1.0	0.055
RN-20-01	148.0	149.0	1.0	0.13
RN-20-01	149.0	150.0	1.0	0.327
RN-20-01	150.0	151.5	1.5	0.253
RN-20-01	169.5	170.5	1.0	0.319

Weighted

Average

From m

To m

Width m

W * Au	Length m	Au g/t	From	To	Width m
0.167	1.0				
0.149	1.0				
2.26	1.0				
1.035	1.0				
0.024	1.0				
0.044	1.0				
0.259	1.0				
3.938	7.0	0.56	110.00	117.00	7.00
0.954	0.9				
0.213	1.0				
0.099	1.0				
1.68	1.0				
0.635	1.0				
3.15	1.0				
0.374	1.0				
0.211	1.0				
0.107	1.0				
7.423	8.9	0.83	126.10	135.00	8.90

RN 20-02

Au-AA23

Au

BHID	From	To	Width	ppm
RN-20-02	27.6	28.3	0.7	0.544
RN-20-02	70.0	71.0	1.0	<0.005
RN-20-02	71.0	72.0	1.0	0.01
RN-20-02	72.0	73.0	1.0	0.082
RN-20-02	73.0	74.5	1.5	0.327
RN-20-02	74.5	75.5	1.0	0.031
RN-20-02	75.5	76.5	1.0	0.025
RN-20-02	76.5	77.5	1.0	0.021
RN-20-02	77.5	79.0	1.5	2.25
RN-20-02	79.0	80.0	1.0	0.014
RN-20-02	80.0	81.0	1.0	0.04
RN-20-02	81.0	81.7	0.7	1.015
RN-20-02	81.7	83.0	1.3	0.44
RN-20-02	83.0	84.0	1.0	0.121
RN-20-02	84.0	85.0	1.0	0.402
RN-20-02	85.0	86.0	1.0	0.158
RN-20-02	86.0	87.0	1.0	0.02
RN-20-02	87.0	88.0	1.0	<0.005
RN-20-02	88.0	89.0	1.0	<0.005
RN-20-02	89.0	90.0	1.0	0.012
RN-20-02	90.0	90.8	0.8	0.074
RN-20-02	90.8	91.3	0.5	0.093
RN-20-02	91.3	92.0	0.7	0.041
RN-20-02	99.0	99.9	0.9	0.008
RN-20-02	99.9	101.0	1.1	0.061
RN-20-02	101.0	102.0	1.0	0.036
RN-20-02	102.0	103.0	1.0	0.237
RN-20-02	103.0	104.0	1.0	1.845
RN-20-02	104.0	105.0	1.0	1.015
RN-20-02	105.0	106.0	1.0	8.31
RN-20-02	106.0	107.0	1.0	0.115
RN-20-02	107.0	108.0	1.0	0.008
RN-20-02	108.0	109.0	1.0	4.24
RN-20-02	109.0	110.0	1.0	0.581
RN-20-02	110.0	111.0	1.0	0.456
RN-20-02	111.0	112.0	1.0	0.246
RN-20-02	112.0	113.0	1.0	0.452
RN-20-02	113.0	114.0	1.0	0.34
RN-20-02	114.0	115.0	1.0	0.251
RN-20-02	115.0	116.0	1.0	0.027
RN-20-02	116.0	116.5	0.5	0.031
RN-20-02	162.0	163.0	1.0	0.427
RN-20-02	176.2	177.0	0.8	0.192
RN-20-02	186.5	187.8	1.3	0.939
RN-20-02	196.5	197.5	1.0	0.213
RN-20-02	197.5	198.5	1.0	0.038
RN-20-02	198.5	199.5	1.0	0.013
RN-20-02	199.5	200.5	1.0	0.07
RN-20-02	200.5	201.5	1.0	1.18
RN-20-02	201.5	202.6	1.1	0.086
RN-20-02	212.0	213.0	1.0	0.042
RN-20-02	213.0	214.0	1.0	0.047
RN-20-02	214.0	215.0	1.0	0.207
RN-20-02	215.0	216.0	1.0	0.072
RN-20-02	216.0	217.0	1.0	0.063
RN-20-02	229.0	230.0	1.0	0.009
RN-20-02	230.0	231.0	1.0	<0.005
RN-20-02	231.0	232.0	1.0	<0.005
RN-20-02	232.0	233.0	1.0	<0.005

W * g/t	m	Au g/t	From	To	Width
3.375	1.5				
0.014	1.0				
0.04	1.0				
0.7105	0.7				
0.572	1.3				
0.121	1.0				
0.402	1.0				
0.158	1.0				
5.39	8.5	0.63	77.50	86.00	8.50

W * g/t	m	Au g/t	From m	To m	Width m
0.237	1.0				
1.845	1.0				
1.015	1.0				
8.31	1.0			11.17	3.0
0.115	1.0				
0.008	1.0				
4.24	1.0			15.533	6.0
0.581	1.0				
0.456	1.0				
0.246	1.0				
0.452	1.0				
0.34	1.0				
0.251	1.0				
18.096	13.0	1.39	102.00	115.00	13.00

RN-20-02	244.9	246.0	1.1	0.119
RN-20-02	246.0	246.8	0.8	<0.005
RN-20-02	246.8	248.0	1.2	<0.005
RN-20-02	248.0	249.0	1.0	0.017
RN-20-02	249.0	250.0	1.0	0.18
RN-20-02	250.0	251.0	1.0	0.515
RN-20-02	251.0	252.0	1.0	0.298
RN-20-02	252.0	253.0	1.0	0.005
RN-20-02	269.0	270.0	1.0	0.045
RN-20-02	270.0	271.0	1.0	0.393
RN-20-02	271.0	272.0	1.0	0.964
RN-20-02	272.0	273.0	1.0	0.025

RN 20-03

Au-AA23

Au

BHID	From	To	Width	ppm
RN-20-03	30.0	31.0	1.0	<0.005
RN-20-03	31.0	32.0	1.0	<0.005
RN-20-03	32.0	33.0	1.0	<0.005
RN-20-03	33.0	34.0	1.0	<0.005
RN-20-03	34.0	35.0	1.0	<0.005
RN-20-03	35.0	36.0	1.0	<0.005
RN-20-03	36.0	37.0	1.0	<0.005
RN-20-03	63.0	64.0	1.0	0.612
RN-20-03	64.0	65.0	1.0	0.117
RN-20-03	65.0	66.0	1.0	<0.005
RN-20-03	66.0	67.0	1.0	<0.005
RN-20-03	67.0	68.0	1.0	0.038
RN-20-03	68.0	69.0	1.0	0.092
RN-20-03	69.0	70.0	1.0	<0.005
RN-20-03	70.0	71.5	1.5	<0.005
RN-20-03	143.0	143.8	0.8	0.017
RN-20-03	143.0	144.5	1.5	0.296
RN-20-03	144.5	145.5	1.0	0.551
RN-20-03	145.5	146.5	1.0	0.163
RN-20-03	146.5	147.5	1.0	0.136
RN-20-03	147.5	148.0	0.5	0.074
RN-20-03	148.0	149.0	1.0	0.053
RN-20-03	200.5	201.5	1.0	<0.005
RN-20-03	201.5	202.5	1.0	0.018
RN-20-03	202.5	203.5	1.0	0.011
RN-20-03	203.5	204.5	1.0	0.011
RN-20-03	216.0	217.0	1.0	<0.005
RN-20-03	217.0	218.0	1.0	<0.005
RN-20-03	218.0	219.0	1.0	<0.005
RN-20-03	219.0	220.0	1.0	0.028
RN-20-03	220.0	221.0	1.0	0.075
RN-20-03	221.0	222.0	1.0	0.299
RN-20-03	222.0	223.0	1.0	0.141
RN-20-03	223.0	224.0	1.0	0.022
RN-20-03	224.0	225.0	1.0	<0.005
RN-20-03	225.0	226.0	1.0	0.007
RN-20-03	226.0	227.0	1.0	0.025
RN-20-03	227.0	228.0	1.0	0.022
RN-20-03	228.0	229.0	1.0	<0.005
RN-20-03	229.0	230.0	1.0	0.06
RN-20-03	230.0	231.0	1.0	0.01
RN-20-03	231.0	232.0	1.0	0.119
RN-20-03	232.0	233.0	1.0	0.061
RN-20-03	233.0	234.0	1.0	0.673
RN-20-03	234.0	235.0	1.0	0.079
RN-20-03	235.0	236.0	1.0	0.005
RN-20-03	236.0	237.0	1.0	0.021
RN-20-03	237.0	238.0	1.0	<0.005
RN-20-03	238.0	239.0	1.0	0.099
RN-20-03	239.0	240.0	1.0	0.902
RN-20-03	240.0	241.0	1.0	0.383
RN-20-03	241.0	242.0	1.0	0.364
RN-20-03	242.0	243.0	1.0	0.075
RN-20-03	243.0	244.0	1.0	0.269
RN-20-03	244.0	245.0	1.0	6.56

W * g/t	m	Au g/t	From	To	Width
0.444	1.5				
0.551	1.0				
0.163	1.0				
0.136	1.0				
1.294	4.5	0.29	143.00	147.50	4.50

W * g/t	m
0.902	1.0
0.383	1.0
0.364	1.0
0.075	1.0
0.269	1.0
6.56	1.0

RN-20-03	245.0	246.0	1.0	0.129	0.129	1.0				
RN-20-03	246.0	247.0	1.0	0.23	0.23	1.0				
RN-20-03	247.0	248.0	1.0	0.012	0.012	1.0				
RN-20-03	248.0	249.0	1.0	0.033	0.033	1.0				
RN-20-03	249.0	250.0	1.0	0.121	0.121	1.0				
RN-20-03	250.0	251.0	1.0	0.118	0.118	1.0				
RN-20-03	251.0	252.0	1.0	0.07	0.07	1.0				
RN-20-03	252.0	253.0	1.0	0.185	0.185	1.0				
RN-20-03	253.0	254.0	1.0	0.156	0.156	1.0				
RN-20-03	254.0	255.0	1.0	0.308	0.308	1.0				
RN-20-03	255.0	256.0	1.0	0.239	0.239	1.0				
RN-20-03	256.0	257.0	1.0	0.073	0.073	1.0				
RN-20-03	257.0	258.0	1.0	0.404	0.404	1.0				
RN-20-03	258.0	259.0	1.0	0.325	0.325	1.0				
RN-20-03	259.0	260.0	1.0	0.062	0.062	1.0				
RN-20-03	260.0	261.0	1.0	0.311	0.311	1.0				
RN-20-03	261.0	262.0	1.0	0.553	0.553	1.0	Au g/t	From	To	Width
RN-20-03	262.0	263.0	1.0	0.051	11.882	23.0	0.52	239.00	262.00	23.00
RN-20-03	270.0	271.6	1.6	0.181		23.0				
RN-20-03	271.6	272.6	1.0	0.091						
RN-20-03	272.5	273.5	1.0	0.218						
RN-20-03	273.5	274.5	1.0	0.194						
RN-20-03	274.5	275.5	1.0	0.042						
RN-20-03	275.5	276.5	1.0	0.009						
RN-20-03	276.5	277.5	1.0	0.382						
RN-20-03	277.5	278.5	1.0	0.073						
RN-20-03	284.0	285.0	1.0	<0.005						
RN-20-03	285.0	286.0	1.0	0.019						
RN-20-03	286.0	287.0	1.0	<0.005						
RN-20-03	287.0	288.0	1.0	<0.005						
RN-20-03	288.0	289.0	1.0	0.248						
RN-20-03	289.0	290.0	1.0	0.257						
RN-20-03	290.0	291.0	1.0	0.05						

RN 20-04

Au-AA23

BHID	From	To	Width	Au ppm
RN-20-04	127.0	128.1	1.1	0.503
RN-20-04	143.0	144.0	1.0	0.03
RN-20-04	214.0	215.0	1.0	0.005
RN-20-04	215.0	216.0	1.0	0.193
RN-20-04	216.0	217.0	1.0	0.02
RN-20-04	217.0	218.0	1.0	0.06
RN-20-04	218.0	219.0	1.0	0.295
RN-20-04	219.0	220.0	1.0	0.225
RN-20-04	220.0	221.0	1.0	0.025
RN-20-04	221.0	222.0	1.0	0.011
RN-20-04	222.0	223.0	1.0	0.007
RN-20-04	223.0	224.0	1.0	<0.005
RN-20-04	224.0	225.0	1.0	<0.005
RN-20-04	225.0	226.0	1.0	0.229
RN-20-04	226.0	227.0	1.0	0.021
RN-20-04	227.0	228.0	1.0	0.007
RN-20-04	228.0	229.0	1.0	0.015
RN-20-04	229.0	230.0	1.0	0.393
RN-20-04	230.0	231.0	1.0	0.663
RN-20-04	231.0	232.0	1.0	0.339
RN-20-04	232.0	233.0	1.0	0.098
RN-20-04	233.0	234.0	1.0	0.025
RN-20-04	234.0	235.0	1.0	<0.005
RN-20-04	235.0	236.0	1.0	<0.005
RN-20-04	236.0	237.0	1.0	0.005
RN-20-04	237.0	238.0	1.0	<0.005
RN-20-04	238.0	239.0	1.0	0.049
RN-20-04	239.0	240.0	1.0	0.026
RN-20-04	240.0	241.0	1.0	<0.005
RN-20-04	241.0	242.0	1.0	0.006
RN-20-04	242.0	243.0	1.0	0.095
RN-20-04	243.0	244.0	1.0	0.033
RN-20-04	244.0	245.0	1.0	0.017
RN-20-04	245.0	246.0	1.0	0.066
RN-20-04	246.0	247.5	1.5	0.097
RN-20-04	247.5	249.0	1.5	0.037
RN-20-04	249.0	250.0	1.0	<0.005
RN-20-04	250.0	251.0	1.0	0.142
RN-20-04	251.0	252.0	1.0	0.009
RN-20-04	252.0	253.0	1.0	<0.005
RN-20-04	253.0	254.0	1.0	0.018
RN-20-04	254.0	255.0	1.0	0.082
RN-20-04	255.0	256.0	1.0	0.007
RN-20-04	256.0	257.0	1.0	<0.005
RN-20-04	257.0	258.0	1.0	0.169
RN-20-04	258.0	259.0	1.0	0.255
RN-20-04	259.0	260.0	1.0	0.028

RN-20-04	260.0	261.0	1.0	0.024
RN-20-04	261.0	262.0	1.0	<0.005
RN-20-04	262.0	263.0	1.0	<0.005
RN-20-04	263.0	264.0	1.0	<0.005
RN-20-04	264.0	265.0	1.0	<0.005
RN-20-04	265.0	266.0	1.0	0.12
RN-20-04	266.0	267.0	1.0	0.005
RN-20-04	267.0	268.0	1.0	<0.005
RN-20-04	268.0	269.0	1.0	<0.005
RN-20-04	269.0	270.0	1.0	0.174
RN-20-04	270.0	271.0	1.0	0.307
RN-20-04	271.0	272.0	1.0	<0.005
RN-20-04	272.0	273.0	1.0	0.358
RN-20-04	273.0	274.0	1.0	0.094
RN-20-04	274.0	275.0	1.0	0.016
RN-20-04	275.0	276.0	1.0	0.037
RN-20-04	276.0	277.0	1.0	0.016
RN-20-04	277.0	278.0	1.0	0.122
RN-20-04	278.0	279.0	1.0	0.017
RN-20-04	279.0	280.0	1.0	0.006

RN 20-05

Au-AA23
Au

BHID	From	To	Width	ppm
RN-20-05	110.0	111.0	1.0	<0.005
RN-20-05	111.0	112.0	1.0	6.45
RN-20-05	112.0	113.0	1.0	0.011
RN-20-05	216.0	217.0	1.0	0.012
RN-20-05	217.0	218.0	1.0	<0.005
RN-20-05	218.0	219.0	1.0	0.014
RN-20-05	219.0	220.0	1.0	0.012
RN-20-05	220.0	221.0	1.0	0.051
RN-20-05	221.0	222.0	1.0	0.013
RN-20-05	222.0	223.0	1.0	0.022
RN-20-05	223.0	223.8	0.8	0.01
RN-20-05	223.8	225.0	1.2	0.017
RN-20-05	280.0	281.0	1.0	<0.005
RN-20-05	281.0	282.0	1.0	<0.005
RN-20-05	282.0	283.0	1.0	0.018
RN-20-05	283.0	284.0	1.0	0.067
RN-20-05	284.0	285.0	1.0	0.036
RN-20-05	285.0	286.0	1.0	0.008
RN-20-05	286.0	287.0	1.0	<0.005
RN-20-05	287.0	288.0	1.0	<0.005
RN-20-05	288.0	289.0	1.0	0.018
RN-20-05	289.0	290.0	1.0	<0.005
RN-20-05	290.0	291.0	1.0	0.114
RN-20-05	291.0	292.0	1.0	0.007
RN-20-05	292.0	293.0	1.0	0.036
RN-20-05	293.0	294.0	1.0	0.039
RN-20-05	294.0	295.0	1.0	0.022
RN-20-05	295.0	296.0	1.0	2.23
RN-20-05	296.0	297.0	1.0	0.338
RN-20-05	297.0	298.0	1.0	0.07
RN-20-05	298.0	299.0	1.0	0.043
RN-20-05	299.0	300.0	1.0	0.005
RN-20-05	300.0	301.0	1.0	0.52
RN-20-05	301.0	302.0	1.0	0.006
RN-20-05	302.0	303.0	1.0	0.013
RN-20-05	303.0	304.0	1.0	0.015
RN-20-05	304.0	305.0	1.0	0.017
RN-20-05	305.0	306.0	1.0	0.152
RN-20-05	306.0	307.0	1.0	0.021
RN-20-05	307.0	308.0	1.0	0.04
RN-20-05	308.0	309.0	1.0	0.018
RN-20-05	309.0	310.0	1.0	0.025
RN-20-05	310.0	311.0	1.0	0.012
RN-20-05	311.0	312.0	1.0	0.011
RN-20-05	312.0	313.0	1.0	0.55
RN-20-05	313.0	314.0	1.0	0.578
RN-20-05	314.0	315.0	1.0	0.124
RN-20-05	315.0	316.0	1.0	0.106
RN-20-05	316.0	317.0	1.0	0.017
RN-20-05	317.0	318.0	1.0	<0.005
RN-20-05	318.0	319.5	1.5	<0.005

From m	To m	Width	Au gm/t
2.23	1.0		
0.338	1.0		
2.568	2.0		
1.284			
295.0	297.0	2.0	1.28

RN 20-06

Au-AA23

BHID	From	To	Width	Au ppm
RN-20-06	28.5	29.5	1.0	0.013
RN-20-06	29.5	30.0	0.5	3.37
RN-20-06	30.0	31.0	1.0	0.005
RN-20-06	42.0	43.0	1.0	0.025
RN-20-06	43.0	44.0	1.0	0.008
RN-20-06	44.0	45.0	1.0	0.026
RN-20-06	45.0	46.0	1.0	0.103
RN-20-06	46.0	47.5	1.5	0.1
RN-20-06	47.5	48.5	1.0	<0.005
RN-20-06	53.0	54.0	1.0	0.055
RN-20-06	54.0	55.0	1.0	0.005
RN-20-06	55.0	56.0	1.0	<0.005
RN-20-06	56.0	57.0	1.0	0.168
RN-20-06	57.0	58.0	1.0	0.027
RN-20-06	58.0	59.0	1.0	0.021
RN-20-06	59.0	60.0	1.0	<0.005
RN-20-06	60.0	61.0	1.0	0.247
RN-20-06	61.0	62.0	1.0	<0.005
RN-20-06	62.0	63.0	1.0	0.208
RN-20-06	63.0	64.0	1.0	0.029
RN-20-06	64.0	65.0	1.0	0.199
RN-20-06	65.0	66.0	1.0	0.544
RN-20-06	66.0	67.0	1.0	0.39
RN-20-06	67.0	68.0	1.0	0.063
RN-20-06	68.0	69.0	1.0	0.013
RN-20-06	69.0	70.0	1.0	0.017
RN-20-06	70.0	71.0	1.0	0.04
RN-20-06	71.0	72.0	1.0	<0.005
RN-20-06	72.0	73.0	1.0	0.019
RN-20-06	73.0	74.0	1.0	<0.005
RN-20-06	74.0	75.0	1.0	0.005
RN-20-06	75.0	76.0	1.0	0.407
RN-20-06	76.0	77.0	1.0	0.313
RN-20-06	77.0	78.0	1.0	0.039
RN-20-06	78.0	79.0	1.0	0.022
RN-20-06	79.0	79.9	0.9	0.038
RN-20-06	90.0	91.0	1.0	<0.005
RN-20-06	91.0	92.0	1.0	0.108
RN-20-06	92.0	93.0	1.0	0.045
RN-20-06	93.0	94.0	1.0	<0.005
RN-20-06	94.0	95.0	1.0	<0.005
RN-20-06	95.0	96.0	1.0	<0.005
RN-20-06	96.0	97.0	1.0	<0.005
RN-20-06	97.0	98.0	1.0	0.37
RN-20-06	98.0	99.0	1.0	0.161
RN-20-06	99.0	100.0	1.0	0.029
RN-20-06	100.0	101.0	1.0	0.049
RN-20-06	101.0	102.0	1.0	0.02
RN-20-06	102.0	103.0	1.0	0.243
RN-20-06	103.0	104.0	1.0	0.176
RN-20-06	104.0	105.0	1.0	0.007
RN-20-06	105.0	106.2	1.2	0.023
RN-20-06	106.2	107.0	0.8	0.074
RN-20-06	107.0	108.0	1.0	0.009
RN-20-06	108.0	109.0	1.0	0.026

RN-20-06	109.0	110.0	1.0	0.013
RN-20-06	110.0	111.0	1.0	0.024
RN-20-06	111.0	112.0	1.0	0.021
RN-20-06	112.0	112.6	0.6	0.03
RN-20-06	112.6	113.5	0.9	0.008
RN-20-06	113.5	114.5	1.0	0.008
RN-20-06	114.5	115.5	1.0	0.005
RN-20-06	115.5	116.5	1.0	<0.005
RN-20-06	116.5	117.5	1.0	<0.005
RN-20-06	117.5	118.5	1.0	<0.005
RN-20-06	118.5	119.5	1.0	0.017
RN-20-06	119.5	121.0	1.5	0.093
RN-20-06	121.0	122.0	1.0	0.16
RN-20-06	122.0	123.0	1.0	0.006
RN-20-06	123.0	124.0	1.0	0.009
RN-20-06	124.0	125.0	1.0	0.045
RN-20-06	125.0	126.0	1.0	2.93
RN-20-06	126.0	127.0	1.0	0.943
RN-20-06	127.0	128.0	1.0	0.05
RN-20-06	128.0	128.7	0.7	0.047
RN-20-06	128.7	129.5	0.8	0.655
RN-20-06	129.5	130.0	0.5	0.723
RN-20-06	130.0	130.5	0.5	0.116
RN-20-06	130.5	131.0	0.5	326.00
RN-20-06	131.0	131.5	0.5	0.046
RN-20-06	131.5	132.0	0.5	0.013
RN-20-06	132.0	133.0	1.0	0.008
RN-20-06	133.0	134.0	1.0	<0.005
RN-20-06	134.0	135.0	1.0	<0.005
RN-20-06	135.0	136.0	1.0	0.005
RN-20-06	136.0	137.0	1.0	0.007
RN-20-06	145.0	146.0	1.0	0.005
RN-20-06	146.0	147.0	1.0	<0.005
RN-20-06	147.0	148.0	1.0	0.025
RN-20-06	148.0	149.0	1.0	3.76
RN-20-06	149.0	150.0	1.0	0.022
RN-20-06	150.0	151.0	1.0	<0.005
RN-20-06	151.0	152.0	1.0	0.039
RN-20-06	152.0	153.0	1.0	<0.005
RN-20-06	164.0	165.0	1.0	0.01
RN-20-06	165.0	166.0	1.0	<0.005
RN-20-06	166.0	167.0	1.0	0.008
RN-20-06	167.0	168.0	1.0	0.019
RN-20-06	168.0	169.0	1.0	0.009

Gm * W	w				
2.93	1.0				
0.943	1.0				
0.05	1.0				
0.047	0.0329	0.7			
0.655	0.524	0.8			
0.723	0.3615	0.5			
0.116	0.058	0.5			
326.00	163	0.5	From m	To m	Width
0.046	167.8994	6.0	125.0	131.0	6.0
0.013	27.98323				Au gm/t
					27.98

RN 20-07

Au-AA23

BHID	From	To	Width	Au ppm	W m	Width *Au	From	To	Width	Au g/t	
RN-20-07	34.0	35.0	1.0	0.008							
RN-20-07	35.0	36.0	1.0	0.407	1.0	0.407					
RN-20-07	36.0	37.0	1.0	1.625	1.0	1.625					
RN-20-07	37.0	38.0	1.0	0.097	1.0	0.097					
RN-20-07	38.0	39.0	1.0	0.605	1.0	0.605					
RN-20-07	39.0	40.0	1.0	0.342	1.0	0.342					
RN-20-07	40.0	41.0	1.0	0.051	5.0	3.1	0.6152	35.0	40.0	5.0	0.62
RN-20-07	61.3	62.0	0.7	0.067							
RN-20-07	76.5	77.5	1.0	0.452							
RN-20-07	77.5	78.5	1.0	0.011							
RN-20-07	78.5	79.5	1.0	0.011							
RN-20-07	79.5	80.5	1.0	0.017							
RN-20-07	80.5	81.5	1.0	0.025							
RN-20-07	86.0	87.0	1.0	0.007							
RN-20-07	87.0	88.0	1.0	0.019							
RN-20-07	88.0	89.0	1.0	0.013							
RN-20-07	89.0	90.0	1.0	0.252	1.0	0.252					
RN-20-07	90.0	91.0	1.0	0.015	1.0	0.015					
RN-20-07	91.0	92.0	1.0	0.309	1.0	0.309					
RN-20-07	92.0	93.0	1.0	0.06	1.0	0.06					
RN-20-07	93.0	94.0	1.0	2.82	1.0	2.82					
RN-20-07	94.0	95.0	1.0	0.013	5.0	3.5	0.6912	89.0	94.0	5.0	0.69
RN-20-07	95.0	96.0	1.0	<0.005							
RN-20-07	96.0	97.6	1.6	<0.005							
RN-20-07	97.6	98.5	0.9	<0.005							
RN-20-07	98.5	99.5	1.0	<0.005							
RN-20-07	99.5	100.5	1.0	<0.005							
RN-20-07	100.5	101.5	1.0	<0.005							
RN-20-07	101.5	102.5	1.0	<0.005							
RN-20-07	102.5	103.5	1.0	<0.005							
RN-20-07	103.5	104.5	1.0	0.017							
RN-20-07	104.5	105.5	1.0	<0.005							
RN-20-07	105.5	106.5	1.0	<0.005							
RN-20-07	106.5	107.5	1.0	<0.005							
RN-20-07	107.5	108.5	1.0	<0.005							
RN-20-07	108.5	109.5	1.0	0.009							
RN-20-07	109.5	110.5	1.0	<0.005							
RN-20-07	110.5	112.0	1.5	0.036							
RN-20-07	112.0	113.0	1.0	0.12	1.0	0.12					
RN-20-07	113.0	114.0	1.0	0.051	1.0	0.051					
RN-20-07	114.0	115.0	1.0	0.339	1.0	0.339					
RN-20-07	115.0	116.0	1.0	1.825	1.0	1.825					
RN-20-07	116.0	117.0	1.0	0.964	1.0	0.964					
RN-20-07	117.0	118.0	1.0	0.052	1.0	0.052					
RN-20-07	118.0	119.0	1.0	0.663	1.0	0.663					
RN-20-07	119.0	120.0	1.0	<0.005	7.0	4.014	0.573429	112.0	119.0	7.0	0.57
RN-20-07	120.0	121.0	1.0	0.194							
RN-20-07	121.0	122.0	1.0	0.059							
RN-20-07	122.0	123.0	1.0	<0.005							
RN-20-07	134.0	135.0	1.0	0.009							
RN-20-07	135.0	136.0	1.0	0.029							
RN-20-07	136.0	137.0	1.0	0.197							
RN-20-07	137.0	138.0	1.0	0.07							
RN-20-07	138.0	139.0	1.0	0.015							
RN-20-07	147.5	148.5	1.0	<0.005							
RN-20-07	148.5	149.5	1.0	0.059							
RN-20-07	149.5	150.5	1.0	0.267							
RN-20-07	150.5	151.5	1.0	0.205							
RN-20-07	151.5	152.0	0.5	0.088							
RN-20-07	152.0	153.0	1.0	<0.005							
RN-20-07	170.5	171.5	1.0	<0.005							
RN-20-07	171.5	172.5	1.0	0.121	1.0	0.121					
RN-20-07	172.5	173.5	1.0	0.895	1.0	0.895					
RN-20-07	173.5	174.1	0.6	0.18	0.6	0.108					
RN-20-07	174.1	175.0	0.9	0.223	0.9	0.2007					
RN-20-07	175.0	176.0	1.0	0.086	3.5	1.3	0.378486	171.5	175.0	3.5	0.38

RN-20-07	176.0	177.0	1.0	0.015
RN-20-07	177.0	178.0	1.0	0.006
RN-20-07	178.0	179.0	1.0	0.043
RN-20-07	179.0	180.0	1.0	0.013
RN-20-07	180.0	181.0	1.0	0.105
RN-20-07	181.0	182.0	1.0	0.01
RN-20-07	182.0	183.0	1.0	0.007
RN-20-07	183.0	184.0	1.0	0.184
RN-20-07	184.0	185.0	1.0	0.022
RN-20-07	185.0	186.0	1.0	0.032
RN-20-07	186.0	187.0	1.0	<0.005
RN-20-07	190.5	191.5	1.0	0.023
RN-20-07	191.5	192.5	1.0	0.345
RN-20-07	192.5	193.5	1.0	0.216
RN-20-07	193.5	194.5	1.0	0.059
RN-20-07	194.5	195.5	1.0	0.108
RN-20-07	195.5	196.0	0.5	0.057
RN-20-07	196.0	197.0	1.0	<0.005
RN-20-07	203.0	204.0	1.0	0.041
RN-20-07	204.0	205.0	1.0	0.039
RN-20-07	205.0	206.0	1.0	<0.005
RN-20-07	210.0	211.0	1.0	<0.005
RN-20-07	219.0	220.0	1.0	<0.005
RN-20-07	220.0	221.0	1.0	0.021
RN-20-07	221.0	222.0	1.0	0.05
RN-20-07	222.0	223.0	1.0	0.183
RN-20-07	223.0	224.0	1.0	0.006
RN-20-07	230.0	231.0	1.0	<0.005
RN-20-07	231.0	232.0	1.0	0.065
RN-20-07	232.0	233.0	1.0	0.098
RN-20-07	233.0	234.0	1.0	0.01
RN-20-07	234.0	235.0	1.0	0.129

W m	Width *Au	From	To	Width	Au g/t
1.0	0.345	191.5	195.5	4.0	0.18
1.0	0.216				
1.0	0.059				
1.0	0.108				
4.0	0.7	0.182			

RN 20-08

Au-AA23

BHID	From	To	Width	Au ppm	Width	Au * W	From	To	Width	Au g/t
RN-20-08	11.0	12.0	1.0	0.047	Width	Au * W				
RN-20-08	12.0	13.0	1.0	0.207	1.0	0.207				
RN-20-08	13.0	14.0	1.0	0.13	1.0	0.13				
RN-20-08	14.0	15.0	1.0	0.086	1.0	0.086				
RN-20-08	15.0	16.0	1.0	0.042	1.0	0.042				
RN-20-08	16.0	17.0	1.0	1.77	1.0	1.77				
RN-20-08	17.0	18.0	1.0	0.128	1.0	0.128				
RN-20-08	18.0	19.0	1.0	0.007	6.0	2.4	12	18	6	0.394
RN-20-08	19.0	20.0	1.0	0.02						
RN-20-08	20.0	21.0	1.0	0.035						
RN-20-08	21.0	22.0	1.0	0.117						
RN-20-08	22.0	23.0	1.0	0.021						
RN-20-08	23.0	24.0	1.0	0.008						
RN-20-08	24.0	25.0	1.0	0.007						
RN-20-08	25.0	26.0	1.0	0.027						
RN-20-08	26.0	27.0	1.0	0.05						
RN-20-08	27.0	28.0	1.0	0.05						
RN-20-08	28.0	29.0	1.0	0.019						
RN-20-08	34.0	34.8	0.8	0.019	Width	Au * W				
RN-20-08	34.8	36.0	1.2	0.141	1.2	0.1692				
RN-20-08	36.0	37.0	1.0	0.036	1.0	0.036				
RN-20-08	37.0	38.0	1.0	0.01	1.0	0.01				
RN-20-08	38.0	39.0	1.0	0.112	1.0	0.112				
RN-20-08	39.0	40.0	1.0	0.053	1.0	0.053				
RN-20-08	40.0	41.0	1.0	0.513	1.0	0.513				
RN-20-08	41.0	42.0	1.0	0.236	1.0	0.236				
RN-20-08	54.0	55.0	1.0	<0.005	7.2	1.1	34.8	42	7.2	0.157
RN-20-08	55.0	56.0	1.0	0.034						
RN-20-08	56.0	57.0	1.0	<0.005						
RN-20-08	57.0	58.0	1.0	<0.005						
RN-20-08	58.0	59.0	1.0	<0.005						
RN-20-08	59.0	60.0	1.0	<0.005						
RN-20-08	63.0	64.0	1.0	<0.005						
RN-20-08	64.0	65.0	1.0	<0.005						
RN-20-08	65.0	66.0	1.0	0.007						
RN-20-08	66.0	67.5	1.5	0.026						
RN-20-08	67.5	68.5	1.0	0.088						
RN-20-08	68.5	69.5	1.0	1.035						
RN-20-08	69.5	70.5	1.0	0.007						
RN-20-08	70.5	71.5	1.0	0.008						
RN-20-08	71.5	72.5	1.0	0.028						
RN-20-08	72.5	73.5	1.0	0.143						
RN-20-08	73.5	74.5	1.0	<0.005						
RN-20-08	74.5	75.5	1.0	<0.005						
RN-20-08	75.5	76.5	1.0	0.018	Width	Au * W				
RN-20-08	76.5	77.5	1.0	0.281	1.0	0.281				
RN-20-08	77.5	78.5	1.0	0.865	1.0	0.865				
RN-20-08	78.5	79.5	1.0	0.964	1.0	0.964				
RN-20-08	79.5	80.5	1.0	0.011	3.0	2.1	76.5	79.5	3	0.703
RN-20-08	80.5	81.5	1.0	0.014						
RN-20-08	81.5	82.5	1.0	0.005						
RN-20-08	82.5	83.5	1.0	<0.005						
RN-20-08	92.0	93.0	1.0	<0.005						
RN-20-08	93.0	94.0	1.0	0.006						
RN-20-08	94.0	95.0	1.0	0.105						
RN-20-08	95.0	96.6	1.6	0.006						

RN 20-09

Au-AA23

BHID	From	To	Width	Au ppm
RN-20-09	26.0	27.0	1.0	<0.005
RN-20-09	27.0	28.0	1.0	<0.005
RN-20-09	28.0	29.0	1.0	<0.005
RN-20-09	29.0	30.0	1.0	<0.005
RN-20-09	30.0	31.0	1.0	0.007
RN-20-09	31.0	32.0	1.0	<0.005
RN-20-09	32.0	33.0	1.0	0.024
RN-20-09	33.0	34.0	1.0	0.005
RN-20-09	34.0	35.0	1.0	<0.005
RN-20-09	35.0	36.0	1.0	<0.005
RN-20-09	36.0	37.0	1.0	0.015
RN-20-09	37.0	38.0	1.0	0.013
RN-20-09	38.0	39.0	1.0	0.045
RN-20-09	39.0	40.0	1.0	0.123
RN-20-09	40.0	41.0	1.0	0.023
RN-20-09	41.0	42.0	1.0	0.007
RN-20-09	42.0	43.0	1.0	0.006
RN-20-09	43.0	44.0	1.0	0.049
RN-20-09	44.0	45.0	1.0	0.182
RN-20-09	45.0	46.0	1.0	0.028
RN-20-09	46.0	47.0	1.0	0.018
RN-20-09	47.0	48.0	1.0	0.008
RN-20-09	48.0	49.0	1.0	0.005
RN-20-09	49.0	50.0	1.0	<0.005
RN-20-09	50.0	51.0	1.0	0.019
RN-20-09	51.0	52.0	1.0	0.775
RN-20-09	52.0	53.0	1.0	0.686
RN-20-09	53.0	54.0	1.0	0.099
RN-20-09	54.0	55.0	1.0	0.114
RN-20-09	55.0	56.0	1.0	0.01
RN-20-09	56.0	57.0	1.0	<0.005
RN-20-09	57.0	58.0	1.0	0.037
RN-20-09	58.0	59.0	1.0	0.021
RN-20-09	59.0	60.0	1.0	0.078
RN-20-09	60.0	61.0	1.0	0.047
RN-20-09	63.0	63.8	0.8	0.006
RN-20-09	63.8	65.2	1.4	0.026
RN-20-09	65.2	66.0	0.8	<0.005
RN-20-09	66.0	67.4	1.4	0.031
RN-20-09	67.4	68.0	0.6	0.459
RN-20-09	68.0	69.0	1.0	0.13
RN-20-09	97.4	98.0	0.6	<0.005
RN-20-09	98.0	99.0	1.0	<0.005
RN-20-09	99.0	100.0	1.0	<0.005
RN-20-09	100.0	101.0	1.0	0.006
RN-20-09	101.0	102.0	1.0	<0.005
RN-20-09	102.0	103.0	1.0	<0.005
RN-20-09	103.0	103.6	0.6	<0.005
RN-20-09	107.0	107.5	0.5	0.006
RN-20-09	107.5	108.5	1.0	0.017
RN-20-09	108.5	109.5	1.0	0.263
RN-20-09	109.5	110.5	1.0	0.724
RN-20-09	110.5	111.5	1.0	0.02
RN-20-09	132.0	133.2	1.2	<0.005
RN-20-09	133.2	134.0	0.8	0.007
RN-20-09	134.0	135.0	1.0	0.067
RN-20-09	135.0	136.0	1.0	0.033
RN-20-09	136.0	137.0	1.0	0.053
RN-20-09	137.0	138.0	1.0	0.592
RN-20-09	138.0	139.0	1.0	<0.005
RN-20-09	148.0	149.0	1.0	<0.005
RN-20-09	149.0	150.0	1.0	<0.005
RN-20-09	150.0	151.0	1.0	0.011
RN-20-09	151.0	152.0	1.0	0.029
RN-20-09	152.0	153.0	1.0	1.545
RN-20-09	153.0	154.0	1.0	0.006

width	1.0	0.775					
	1.0	0.686					
	1.0	0.099					
	1.0	0.114					
	4.0	1.674	0.4185	From	to	Width	Au g/t
				51.0	55.0	4.0	0.42

width	0.6	0.2754					
	1.0	0.13					
	1.6	0.4054	0.253375	From	to	Width	Au g/t
				67.4	69.0	1.6	0.25

width	1.0	0.263					
	1.0	0.724					
	2.0	0.987	0.4935	From	to	Width	Au g/t
				108.5	110.5	2.0	0.49